



**T. 3N\_\_R. 4W\_\_ 2<sup>nd</sup> Mer.**



**T.4N\_\_\_R.4W\_\_\_2<sup>nd</sup> Mer.**



 The figures on the lines refer to the page.

301

Township N. 3 North of Range N. 4 West of the 2<sup>nd</sup> Mer. Sec.

ch. lty.  
West On the South Boundary of sec. 36. T. N. 3. R. N. 4 N.  
33.00 Look Brook. 9 the river. Course. N 40 W.  
40.00 Set a post for the cor. off  $\frac{1}{4}$  sec. from which  
Sugar. 12 in diam. trees N 76 W. 11 links dish; 1 a,  
Beck. 16 " " " S 56 E. 26 " "  
80.00 Set a post for the cor. off Sec. 35 & 36. from which  
Oak. 16 in diam. trees S 60 E. 18 links dish; 1 a,  
Beck. 12 " " " S 47 W. 34 " "  
This mile rich bottom land; Timber

North Between Sec. 35 & 36 T. N. 3. R. N. 4 N.  
40.00 Set a post for the cor. off  $\frac{1}{4}$  sec. from which  
Oak. 16 in diam. trees S 87 E. 8 links dish; 1 a,  
Beck. 10 " " " S 62 W. 20 " "  
13.00 Top Sugar. 12 in diam. stands in the trees  
80.00 Set a post for the cor. off sec. 25, 26, 35 & 36 from which  
Sugar. 10 in diam. trees. N 74 E. 9 links dish; 1 a,  
Beck. 10 " " " S 64 W. 20 " "  
This mile good upland; Timber Sugar. & Beck.

East On a Random line between Sec. 25 & 36 T. N. 3. R. N. 4 N.  
80.00 Intersect the N & S line at the post cor. of sec. 25 & 36

West On the true line between Sec. 25 & 36 T. N. 3. R. N. 4 N.  
2.00 Look Brook. 40 links wide. Course N 20 W.  
40.00 Set a post at the aver. dist on the true line for the cor.  
off  $\frac{1}{4}$  sec. from which  
Hick. 20 in diam. trees S 80 W. 30 links dish; 1 a,  
Elm. 6 " " " S 54 E. 18 " "  
80.00 To the post cor. off sec. 25, 26, 35 & 36. T. N. 3. R. N.  
N. 4 N. from This mile mostly bottom land  
Timber Beck, Sugar. &c.

T. N. 3 N. R. N. 4 W. 2<sup>nd</sup> Mer. Ind.

North Return Sec. 25, & 26. T. N. 3 N. R. N. 4 W.  
 110.00 Set apart for the cor. off  $\frac{1}{4}$  sec. from which  
 Buck. 10 in. dia. beams S 18 E. 10 links dist; & a  
 Ho. 10 " " " N 14 W. 13 " "  
 52.00 To a Sugar. 21 in. dia. beams in the line.  
 80.00 Set apart for the cor. off cor. 23, 24, 25 & 26 from which  
 a Sugar. 9 in. dia. beams S 12 W. 9 links dist; & a  
 Buck. 8 " " " N 44 E. 13 " "  
 This mile is rich upland. Timber Buck. & Sugar

West On the South Boundary of sec. 35. T. N. 3 N. R. N. 4 W.  
 40.00 Set apart for the cor. off  $\frac{1}{4}$  sec. from which  
 a Sugar. 12 in. dia. beams S 7 E. 27 links dist; & a  
 Logwood Co. " " " N 39 E. 16 " "  
 80.00 Set apart for the cor. off Sec. 34 & 35 from which  
 Buck. 20 in. dia. beams S 66 E. 24 links dist; & a  
 Black. 17 $\frac{1}{2}$  " " " N 36 W. 21 " "  
 This mile is rich hilly land; Timber Buck. & Sugar

North Return Sec. 34 & 35. T. N. 3 N. R. N. 4 W.  
 40.00 Set apart for the cor. off  $\frac{1}{4}$  sec. from which  
 Buck. 16 in. dia. beams S 22 W. 19 links dist; & a  
 Ho. 8 " " " S 27 E. 12 " "  
 43.00 To a Buck. 18 in. dia. beams in the line  
 80.00 Set apart for the cor. off sec. 26, 27, 34 & 35 from which  
 a W. Walnut. 10 in. dia. beams N 66 E. 22 links dist; & a  
 Buck. 16 " " " S 22 W. 38 " "  
 This mile is good upland; Timber Buck. & Sugar  
 Dec. 26. 1804

East On a Random line, between Sec. 26 & 35. T. N. 3 N. R. N. 4 W.  
 80.00 Intersect the N. 3 line at the first cor. off cor. 25, 26, 35 &  
 36.

T. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

West 40.00	On the true line between Sec. 26 & 35 T. N <sup>o</sup> 3 N. R. 4 W. Set a post at the aver. dist. in the true line for the cor. off 1/4 sec. from which Sugar. 12 in. dist. bears S 25 N. 11 links dist; 1 a, Hogwade 6 " " N 25 E. 9 " "
60.00	Trout Brook. 10 links wide. Course N.
80.00	Enter cut the N. E. line at the post cor. off sec. 26 & 27. 34 & 35 This mile is mostly broken land; Timber Oak, & Hogwade Sort thin.
North 40.00	Return Sec. 26 & 27 T. N <sup>o</sup> 3 N.R. N <sup>o</sup> 4 W. Set a post for the cor. off 1/4 sec. from which Hogwade 6 in. dist. bears S 60 E. 20 links dist; 1 a, Sugar. 12 " " " N 70 W. 30 " "
50.00	Go White River. Course West.
55.90	" for N. Bank of the River.
80.00	Set a post for the cor. off sec. 22, 23, 26 & 27 from which a Buck 16 in. dist. bears N 40 E. 5 links dist; 1 a, Lo. 10 " " " S 1/3 W. 24 " " This mile is bottom lands; Timber Buck & Oak
West 40.00	On the South Boundary of sec. 34 T. N <sup>o</sup> 3 N.R. N <sup>o</sup> 4 W. Set a post for the cor. off 1/4 sec. from which a Buck 10 in. dist. bears N 72 E. 37 links dist; 1 a, Hogwade 8 " " " N 24 W. 7 " "
80.00	Set a post for the cor. off sec. 33 & 34 from which a Buck 10 in. dist. bears N 28 W. 16 links dist; 1 a, Lo. 12 " " " S 57 E. 27 " " This mile is rich hilly lands; Timber Buck & Oak,
North 40.00	Return Sec. 33 & 34 T. N <sup>o</sup> 3 N.R. N <sup>o</sup> 4 W. Set a post for the cor. off 1/4 sec. from which a Buck 9 in. dist. bears S 38 E. 5 links dist; 1 a,



T. N<sup>o</sup> 3. N. R. N<sup>o</sup> 4. W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Buck. 12 in diam bears. N 24 W. 21 links dist;  
 61.21 To a Buck. 12 in. diam bears in the line  
 80.00 Set apart for the cor. off sec. 27, 28, 33 & 34 from which  
 W. Oak. 3 in diam bears. N 86 E. 48 links dist; 1 a  
 Poplar 6 " " S 76 W. 45 " "  
 This mile is rough land; thin soil mostly Oak, Liriodendron

East On a Ran. arm line between sec. 27, & 34 T. N<sup>o</sup> 3. N. R. 4 W.  
 81.00 Entered the N. S. line at the post cor. off sec. 26, 27, 34 & 35

West On the true line between sec. 27 & 34 T. N<sup>o</sup> 3. N. R. N<sup>o</sup> 4 W.  
 40.50 Set a post at the av. dist on the true line for the cor.  
 of 74 sec. from which a  
 W. Oak. 10 in. diam bears. N 37 W. 33 links dist; 1 a  
 L. 18 " " " S 6 E. 40 " "  
 81.00 To the post cor. off sec. 27, 28, 33 & 34  
 This mile is broken land; Liriodendron Oak. thin soil.

North Return sec. 27, 28 T. N<sup>o</sup> 3. N. R. N<sup>o</sup> 4 W.  
 26.20 To an R. Oak. 24 in. diam. stands in the line.  
 40.00 Set apart for the cor. of 74 sec. from which an  
 R. Oak. 17 in diam bears. N 57 W. 41 links dist; 1 a  
 Sugar. 16 " " " S 41 E. 58 " "  
 48.00 To a W. Oak. 12 in diam. stands in the line.  
 57.00 " " Sugar. 10 " " " " " "  
 80.00 Set apart for the cor. off sec. 21, 22, 27, 28 from which a  
 Hick. 16 in. diam bears. N 25 W. 41 links dist; 1 a  
 L. 84 " " " S 66 E. 47 " "  
 This mile is broken land; thin soil. Oak. timber

West On the South Boundary off sec. 33 T. N<sup>o</sup> 3. N. R. N<sup>o</sup> 4 W.  
 40.00 Set apart for the cor. of 74 sec. from which a  
 Sugar. 20 in diam bears S 57 W. 11 links dist; 1 a

T<sup>N</sup> 3. N<sup>R</sup> N<sup>o</sup> 4<sup>W</sup>. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

60.67	Beck. 18 in air: bears N 84 E. 11 links dist; 1 a
80.00	To a Brook. 10 links wide, comes N 10 W. Set apart for the cor. of sec. 32 & 33 from which W Oak. 20 in air: bears N 84 E. 11 links dist; 1 a Lk. 12 " " " N 41 W. 41 " " This mile over land under rich lands; Timber Beck.
North	Peterson Sec. 32 & 33 T <sup>N</sup> 3. N <sup>R</sup> N <sup>o</sup> 4 <sup>W</sup> .
0.70	To a W Oak 17 in air: stands in the line.
4.20	" " Beck. 12 " " " " " "
40.00	Set apart for the cor. of 1/4 sec. from which Beck. 12 in air: bears S 71 E. 15 links dist; 1 a Lk. 16 " " " N 47 W. 15 " "
58.18	To a Beck. 13 in air: stands in the line.
73.21	" " Sugar 9 " " " " " "
74.00	" " Brook 12 links wide, comes W.
80.00	Set apart for the cor. of sec. 28, 29, 32 & 33 from which Sugar 8 in air: bears S 71 W. 13 links dist; 1 a Beck. 13 " " " S 43 E. 25 " " This mile broken lands, rich soil; Timber Beck, Oak, Sugar. 1 a. Dec <sup>r</sup> . 27 1804
East	On a Random line between Sec. 28 & 33 T <sup>N</sup> 3. N <sup>R</sup> 4 <sup>W</sup> .
80.00	Intersect the N & S line at the post cor. of sec. 27, 28 & 33 & 34
West	On the true line between Sec. 28 & 33 T <sup>N</sup> 3. N <sup>R</sup> 4 <sup>W</sup> .
40.00	Set apart at the av. dist. on the true line for the cor. of 1/4 sec. from which W Oak. 18 in air: bears N 84 W. 30 links dist; 1 a Beck. 8 " " " S 54 E. 11 " "
60.00	To a Brook. 8 links wide, comes N 45 W.
80.00	Intersected the N & S line Cor. of sec. 28, 29, 32 & 33.

T<sup>N</sup> 3 N<sup>R</sup> N<sup>o</sup> 47<sup>o</sup> 2<sup>nd</sup> Mer. Ind. 2

This mile is bottom land; Thin Soil. Timber Oak Ash, Hickory.

North	Between Sec. 28 & 29 T <sup>N</sup> 3 N <sup>R</sup> N <sup>o</sup> 47 <sup>o</sup>
7.63	To a Gum 16 in. diam. stands in the line.
31.48	" " Beech 10 " " " " "
40.00	Set apart for the cor. off $\frac{1}{4}$ sec. from which a Hickory 12 in. diam. bears S 55 E. 21 links dist; & a Logwood 6 " " " N 30 E. 22 " "
67.09	To a Brook 11 links wide, comes N 15 E.
80.00	Set apart for the cor. off Sec. 20. 21. 28-129 from which a Sugar. 7 in. diam. bears N 27 W. 8 links dist; & a Beech 6 " " " S 15 E. 18 " "
	This mile rich wood lands; Timber Beech, N <sup>o</sup> 20 ch. bottom lands; Balance bottom. Dec. 28. 1804.

West	On the South Branch of the 3 <sup>rd</sup> . T <sup>N</sup> 3 N <sup>R</sup> N <sup>o</sup> 47 <sup>o</sup> .
40.00	Set apart for the cor. off $\frac{1}{4}$ sec. from which a Poplar 36 in. diam. bears South 25 links dist; & a Hickory 40 " " " N 79 W. 10 " "
42.00	Swamp appears to extend N. 18 $\frac{1}{2}$ a mile.
57.00	Corr. Swamp to rich bottom lands;
80.00	Set apart for the cor. off Sec. 31 & 32 T <sup>N</sup> 3 N <sup>R</sup> N <sup>o</sup> 47 <sup>o</sup> from which a Beech 20 in. diam. bears N 16 W. 24 links dist; & a " 10 " " " S 84 E. 27 " "
	This mile is rich bottom land; Timber Beech, Sugar, Poplar Ash, &c.

North	Between Sec. 31 & 32 T <sup>N</sup> 3 N <sup>R</sup> N <sup>o</sup> 47 <sup>o</sup> .
7.00	To White River Cedars S 35 W. dead water.
13.50	" the West 13k. of W. River.
40.00	Set apart for the cor. off Sec. from which a Sugar 9 in. diam. bears N 30 E. 12 links dist; & a

T. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W. 2nd Mer. Sud?

47.00 R Walnut 16 in. dia. trees. N 81 W. 40 links dist; 1 c.  
 To a Brook. 13 White, course S 45 E.  
 60.00 " " 7 Beech 10 in dia. stands in the line.  
 80.00 Set apart for the cor. of sec. 29, 30 31. 130 from white  
 N. Oak 16 in. dia. trees. S 50 W. 24 links dist; 1 c.  
 Logwood 6 " " " S 65 W. 12 " "  
 This mile is good bottom land; Timber Beech, Oak,  
 Gum. Logwood 1 c.

West On the South Boundary of sec. 31. T. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W.  
 6.46 To the Bank of White River. Course S 13 W.  
 13.00 " " West 13 W. of the River.  
 40.00 Set apart for the cor. of 1/4 sec. from which  
 Beech 17 in. dia. trees. S 10 E. 31 links dist; 1 c.  
 Loc. 10 " " " N 31 E. 43 " "  
 80.27 Intersect the West Range line at the first cor. of sec. 1, 6.  
 31.136. T. S. 2, 2 13. 3 N.R. S. 4 15 W.  
 This mile is rich bottom land. Timber Beech, Oak,  
 Ash, Sugar, 1 c.

West Between Sec. 30 31. T. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W.  
 38.00 To a N Oak, 16 in. dia. stands in the line.  
 40.00 Set apart for the cor. of 1/4 sec. from which  
 Poplar 18 in. dia. trees. S 46 E. 26 links dist; 1 c.  
 Beech 12 " " " S 24 W. 25 " "  
 62.00 To a Brook. 8 links wide, course S 45 E.  
 80.00 Intersected the West Boundary at the first cor. of sec. 25,  
 & 31. T. N<sup>o</sup> 3 N.R. N<sup>o</sup> 5 W. from which  
 Hick 17 in. dia. trees. N 27 E. 8 links dist; 1 c.  
 Loc. 12 " " " S 34 E. 39 " "  
 This mile is rich upland; Mostly Beech & the W.  
 Timber



*T. N. 3 N. R. N. 4 W. 2<sup>nd</sup> Mer. Sec. 2*

East	On a Random line between sec. 29 & 30 T. N. 3 N. R. N. 4 W.
80.00	Intersect the N & S line at the post cor. of sec. 28, 29, 30 & 31.
West	On the true line between sec. 29 & 30 T. N. 3 N. R. N. 4 W.
40.00	Set a post at the av. dist. on the true line for the cor. off $\frac{1}{4}$ sec. from which
	W Maple. 10 in. diam. bears S 66 E. 11 links dist; ring
	Do. 12 " " " N 37 W. 23 " "
41.75	To the Bank of White River. Course S. drift water.
47.75	" West Blk. of White River.
80.00	To the post for the cor. of sec. 29, 30, 31 & 32 from which on this mile is rich bottom land. Timber Beech, & Sugar
North	Between sec. 29 & 30 T. N. 3 N. R. N. 4 W.
40.00	Set a post for the cor. off $\frac{1}{4}$ sec. from which on
	Orange Maple. 10 in. diam. bears S 22 W. 40 links dist; ring
	W Oak. 18 " " " N 54 E. 24 " "
46.08	To a Red Oak. 10 in. diam. bears in the line.
80.00	Set a post for the cor. off sec. 19, 20, 29 & 30 from which on
	Red Oak. 7 in. diam. bears N 20 W. 11 links dist; ring
	Hogwood 3 " " " S 30 E. 12 " "
	Ground broken & thin soil; Thicket of brush, briars &
	White Oak. Timber Dec. 29, 1804
West	Between sec. 19 & 30 T. N. 3 N. R. N. 4 W.
15.00	To a W Oak. 10 in. diam. stands in the line.
40.00	Set a post for the cor. off $\frac{1}{4}$ sec. from which on
	W Oak. 8 in. diam. bears N 77 E. 30 links dist; ring
	Do. 7 " " " S 45 W. 7 " "
80.00	Intersect the West N. Branch at the post cor. of sec. 24 & 25. T. N. 3 N. R. N. 5 W. from which on
	Hick 18 in. diam. bears N 20 W. 20 links dist; ring
	Hogwood 6 " " " S 20 E. 30 " "

T. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Ind<sup>e</sup>

pt.  $\frac{1}{2}$  mile thickets of Birch & Maple. Last  $\frac{1}{2}$  good.  
upland N Oak. Timber

East  
80.37 On a Random line between sec. 20.129 T. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W.  
Intersect the NTS line at the post cor. of sec. 20.21.28.129

East  
79.67 On a Random line between sec. 21.128 T. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W.  
Intersect the NTS line at the post cor. of sec. 21.22.27.128

East  
80.66 On a Random line between sec. 22.127 T. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W.  
Intersect the NTS line at the post cor. of sec. 22.23.26.127

East  
80.00 On a Random line between sec. 23.126 T. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W.  
Intersect the NTS line 4  $\frac{1}{4}$  miles S. of the post cor. of sec.  
23.24.25.126

East  
80.00 On a Random line between sec. 24.125 T. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W.  
Intersect the NTS line at the post cor. of sec. 24.125 on  
East Range line.

West  
40.00 On the true line between sec. 24.125 T. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W.  
Set a post for the cor. of  $\frac{1}{4}$  sec. at the co. dist on the true  
line from which

Beck. 9 mi. dist. sec. 24.36. 18 miles dist; say  
Poplar 4 in " " N 25 W. 23. " "

65.00 To the Nk. of White River Course N 10 E.

71.00 Over the West Bk. of W. River.

80.00 To the post cor. of sec. 23.24.25.126

This mile is not bottom land; Timber Birch Oak,  
Poplar. Sugar etc. All Spruce.

North  
10.00 Between sec. 23.124 T. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W.  
To a Beck. 20 mi. dist. Stands in the river.

I N<sup>o</sup> 3 N.R. N<sup>o</sup> 47<sup>th</sup> 2<sup>nd</sup> Mer. Sud<sup>e</sup>

40.00 Set apart for the cor. off 1/4 sec. from which  
 Bass Woods 20 in diam. trees. S 30 N. 30 W. 1/2 mi. N. 29 E. 12 " "  
 Hickory 12 " " " " " "  
 41.00 To White River Corner West Swift Water.  
 47.00 Onto the N. Bank of White River.  
 80.00 Set apart for the cor. of sec. 13, 14, 23, 24 from which  
 Buck 16 in diam. trees. N 45 W. 29 mi. N. 41 E. 19 " "  
 Do. 17 " " " " " "  
 This mile is rich bottom land; Timber Buck Sugar,  
 Oak, Hickory &c.

West On the true line between sec. 23 & 26. I N<sup>o</sup> 3 N.R. N<sup>o</sup> 47<sup>th</sup>.  
 40.00 Set apart for the cor. off 1/4 sec. at the av. dist in the true  
 line from which  
 Buck 10 in diam. trees. S 20 E. 11 mi. N. 30 W. 37 " "  
 Sugar 12 " " " " " "  
 The above West is on the Bank of White River.  
 46.00 To the West Bank of the River.  
 80.00 To the cor. of sec. 22, 23, 26, 27.  
 This mile is rich bottom land; Timber Buck Sugar,  
 Hickory and, Gycamio. All Spruce.

North Return sec. 22, & 23. I N<sup>o</sup> 3 N.R. N<sup>o</sup> 47<sup>th</sup>.  
 23.00 To a Buck 11 in diam. stands in the river. Dec. 30. 1884  
 40.00 Set apart for the cor. off 1/4 sec. from which  
 Sugar 20 in diam. trees. S 55 E. 43 mi. N. 12 " "  
 Hickory 12 " " " " " "  
 North 19 " " " " " "  
 45.50 To a Brook 20 mi. wide, Corner S. 45 W.  
 53.60 " " Sugar 20 in diam. stands in the river.  
 80.00 Set apart for the cor. of sec. 14, 15, 22 & 23 from which  
 Buck 20 in diam. trees. S 21 E. 6 mi. N. 35 W. 21 " "  
 Do. 6 " " " " " "  
 This mile mostly broken land; Timber Oak Ash, Hickory

*T N° 3 N R. N° 4 W. 2<sup>nd</sup> Mer. Sur.*

*Buck & Sugar. 20 ch. bottom on the water.*

*West. On the true line between sur. 22 & 27 T N° 3 N R. N° 4 W.  
14.00 To White River Corner N 20 W. swift water.  
30.00 " the West. Bank of White River.  
40.00 Set apart at the arm dish on the true line for the cor. off  
1/4 cu. from which  
Buck 6 in. dia. beam. S 44 N. 15 wide dish; 8"  
Sugar. 12 " " " N 65 E. 28 " "  
80.00 To the post cor. of sur. 21, 22, 27, & 28.  
This mile is rich bottom land; Timber Buck Sugar,  
Cumm. Hickory &c.*

*North Between sur. 21 & 22. T N° 3 N R. N° 4 W.  
30.00 To a Buck 10 in. dia. beam in the line.  
40.00 Set apart for the cor. of 1/4 cu. from which  
Sycamore 20 in. dia. beam. S 55 E 48 wide dish; 8"  
Hickory 12 " " " North. 19 " "  
47.00 To White River, Corner N 74 W.  
53.00 " the N Blk of White River.  
80.00 Set apart for the cor. of sur. 15, 16, 21, & 22. From which  
a Poplar. 16 in. dia. beam. S 77 W. 11 wide dish; 8"  
Oak. 8 " " " N 21 E. 40 " "  
This mile is rich bottom land; Timber Buck & Sugar,  
W. G. Spruce.*

*West On the true line between sur. 21 & 28 T N° 3 N R. N° 4 W.  
40.00 Set apart on the true line at the arm dish for the cor. off  
1/4 cu. from which  
Buck 10 in. dia. beam. N 68 W. 41 wide dish; 8"  
Oak. 20 " " " S 15 E 15 " "  
80.00 To the post cor. of sur. 20, 21, 28 & 29.  
Land the N 26 ch. is rich bottom land; Remainder*



V. N. 3 N. R. N. 4 W. 2<sup>nd</sup> Mer. Ind.

of the mile. Bottom land, then soil; Timber Oak,

North	Between sec. 20 & 21 T. N. 3. R. N. 4 W.
4.38	To a Poplar. 27 in. dia. Stands in the line.
6.50	" White River. Course S 35 W.
15.00	To the N. Bk. of White River.
40.00	Set a post for the cor. of 1/4 sec. from which Height 18 in. dia. beam. S 22 W. 30 units dist; 1 <sup>st</sup> Champ Maple 10 " " N 22 E. 25 " "
46.00	To a Buck. 27 in. dia. Stands in the line.
52.30	" " Sugar. 12 " " " " "
80.00	Set a post for the cor. of sec. 16, 17, 20 & 21. From which Sugar. 20 in. dia. beam. S 45 W. 14 units dist; 1 <sup>st</sup> Poplar. 8 " " North 22 " "
	This unit is mostly rich land; Timber Buck. Sugar, Poplar &c.

West	On the line between sec. 20 & 29 T. N. 3. R. N. 4 W.
4.00	To White River. Course S 38 W.
10.00	On to the West Bank of the White River.
40.00	Set a post for the cor. of 1/4 sec. from which Log. 20 in. dia. beam. N 48 W. 16 units dist; 1 <sup>st</sup> Sugar. 16 " " S 64 E. 21 " "
46.60	To a buck. 100 units wide, Course S 40 E.
80.00	To the post cor. of sec. 19, 20, 29 & 30. This unit is rich bottom land; Timber Buck. Sugar & Log. 20 in. dia. beam.

North	Between sec. 19 & 20 T. N. 3. R. N. 4 W.
10.00	To a N. Oak. 16 in. dia. Stands in the line.
14.30	" " B. Oak. 10 " " " " "
40.00	Set a post for the cor. of 1/4 sec. from which Height 12 in. dia. beam. S 35 W. 17 units dist; 1 <sup>st</sup>

I No 3 N.R. No 477. 2nd Mr. Sud.

W. Oak. 16 in. diam. bears. S8E. 20 miles west;  
 53.37 To a B. Oak. 15 in. diam. stands in the line.  
 58.00 To a Birch 7 1/2 in. diam. comes S45E.  
 80.00 Set apart for the cor. of Sec. 17, 18, 19 & 20 from which  
 W. Oak. 16 in. diam. bears S85E. 26 miles west; or  
 W. Oak. 18 " " " S85 77.25 " "  
 This mile is rich upland; Timber Birch Oak. Sugar &  
 W. Spruce.

West Between Sec 18 & 19 I No 3 N.R. No 477.  
 40.00 Set apart for the cor. of 1/4 Sec. from which  
 Hick 7 10 in. diam. bears S76E. 24 miles west; or  
 L. O. 8 " " " N15 77.45 " "  
 46.00 To a B. Oak. 16 in. diam. stands in the line.  
 52.73 " " W. Oak. 10 " " " " " "  
 79.20 Intersect the N & S line at the first cor. of Sec. 13, 14, 15 & 16 I  
 No 3 N.R. No 577. from which  
 W. Oak. 16 in. diam. bears S88E. 26 miles west; or  
 L. O. 17 " " " S25 77.25 " "  
 This mile is broken land; Much of brush & vines  
 thin soil & some Oak timber

East On a Random line between Sec. 17 & 20 I No 3 N.R. No 477.  
 80.50 Intersect the N & S line at the first cor. of Sec. 16, 17, 20 & 21

East On a Random line between Sec 16 & 21 I No 3 N.R. No 477.  
 80.00 Intersect the N & S line 27 miles N of the first cor. of Sec.  
 15-16 21 & 22

East On a Random line between Sec. 15 & 22 I No 3 N.R. No 477.  
 80.00 Intersect the N & S line 37 miles N. of the first cor. of  
 Sec 14, 15, 22, & 23. Dec 31st 1804



*I. N. 3 N. R. N. 4 W. 2nd Mer. Ind. a*

40.00	Set apart at the air dash in the true line for the cor. of $\frac{1}{4}$ cu. from which
	W. Oak. 10 in. air. bars. N 30 W. 13 miles dash; 10
	W. Oak. 14 " " " S 50 E. 20 " "
60.37	To a Brook. 22 miles dash; Corner S 45 W.
80.00	To the first cor. of sec. 14 15. 22 + 23.
	This mile is mostly broken land; 12 cts off bottom in the creek. Some Oak. Birch, Ash & Ash.
<hr/>	
North	Between sec. 14 & 15 I. N. 3 N. R. N. 4 W.
40.00	Set apart for the cor. of $\frac{1}{4}$ cu. from which
	Logwood 5 in. air. bars. S 20 W. 40 miles dash; 10
	Wicks 8 " " " N 30 E. 60 " "
60.00	To a Wicks 17 in. air. stands in the line.
69.27	" " Brook. 13 miles, Corner S 20 E.
80.00	Set apart for the cor. of sec. 10 11. 14 & 15 from which
	Wicks 10 in. air. bars. S 37 W. 47 miles dash; 10
	W. Oak. 6 " " " S 60 E. 50 " "
	This mile is broken land; 6 cts off bottom in the creek. This mile of brush & briars. Some Oak. Wicks
<hr/>	
West	On the true line between sec. 15 & 22. I. N. 3 N. R. N. 4 W.
20.00	To a Brook. 12 miles wide, Corner S 20 E.
40.00	Set apart for the cor. of $\frac{1}{4}$ cu. from which
	W. Oak. 12 in. air. bars. South 36 miles dash; 10
	Wicks 13 " " " S 80 E. 10 " "
80.00	To the first cor. of sec. 15. 16. 21 & 22.
	This mile is broken land; Some Oak, some Maple Bucks and briars thin soil.
<hr/>	
North	Between sec. 15 & 16. I. N. 3 N. R. N. 4 W.
10.00	To a W. Oak. 12 in. air. stands in the line
40.00	Set apart for the cor. of $\frac{1}{4}$ cu. from which



T. N<sup>o</sup> 3. N.R. N<sup>o</sup> 4 N. 2<sup>nd</sup> & Mer. Ind.?

80.00 W. Oak. 10 in. diam. beam. West. 27 links dist; 1 as  
 Log mode 8" " " S 28 E. 10 " "  
 Set a post for the cor. off sec. 9, 10, 15 & 16 from which  
 W. Oak. 10 in. diam. beam. S 62 E. 200 links dist; 1 as  
 Hick. 7 1/2 " " " S 30 E. 250 " "  
 This mile is barren hills; thickets of brush & briars.  
 Some Oak, & Hick. Jan. 7 1<sup>st</sup> 1885.

West On the true line between sec. 16 & 21. T. N<sup>o</sup> 3. N.R. N<sup>o</sup> 4 N.  
 40.00 Set a post at the arr. dist on the true line for the cor. off  
 1/4 sec. from which  
 Hick. 7 10 in. diam. beam. S 16 E. 22 links dist; 1 as  
 Buck 12 " " " N 30 W. 38 " "  
 80.00 To the post cor. off sec. 16, 17, 20 & 21.  
 This mile mostly broken lands; good soil Timber Buck  
 and Oak.

North Between sec. 16 & 17. T. N<sup>o</sup> 3. N.R. N<sup>o</sup> 4 N.  
 10.00 To a Sugar. 16 in. diam. Stands in the line.  
 40.00 Set a post for the cor. off sec. from which  
 Sugar. 10 in. diam. beam. S 10 W. 45 links dist; 1 as  
 Co. 12 " " " N 74 E. 14 " "  
 60.00 To a Hick. 7 10 in. diam. Stands in the line.  
 80.00 Set a post for the cor. off sec. 8, 9, 16 & 17 from which  
 Buck. 8 in. diam. beam. S 30 W. 20 links dist; 1 as  
 Gum. 16 " " " N 66 E. 34 " "  
 This mile is mostly good upland; Timber Buck & Sugar,  
 W. Spruce.

West On the true line between sec. 17 & 20 T. N<sup>o</sup> 3. N.R. N<sup>o</sup> 4 N.  
 40.00 Set a post at the arr. dist on the true line for the cor.  
 off 1/4 sec. from which  
 W. Oak. 12 in. diam. beam. N 74 W. 46. 1/2 links dist; 1 as

T<sup>N</sup> 3 N<sup>R</sup> N<sup>o</sup> 47<sup>n</sup> 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

49.00 W Oak. 20 in diam. bears. S 40 E. 14 links north;  
 80.00 To a brook 100 links north, Comes S 45 E.  
 To the first cor. of sec. 17, 18, 19, & 20  
 This tract is rich level land; Timber 7 Buck. Oak. Sugar,  
 and 1 Hickory tree.

North Between sec. 17 & 18. T<sup>N</sup> 3 N<sup>R</sup> N<sup>o</sup> 47<sup>n</sup>.  
 33.70 To a Brook. 20 links north, Comes S 66 E.  
 37.00 " " Sugar. 12 in diam. Stands in the line.  
 40.00 Set a post for the cor. of 14 sec. from which a  
 Hickory 10 in diam. bears S 67<sup>n</sup> 38 links north; & a  
 Buck. 8 " " " N 87<sup>n</sup> 60 " "  
 69.20 To a Buck. 18 in diam. Stands in the line.  
 80.00 Set a post for the cor. of sec. 7, 8, 17, & 18 from which a  
 Buck. 10 in diam. bears N 82 E. 24 links north; & a  
 W Oak. 20 " " " N 88<sup>n</sup> 29 " "  
 This tract is level and rich upland; Timber Oak & Sugar.

West Between sec. 7 & 18 T<sup>N</sup> 3 N<sup>R</sup> N<sup>o</sup> 47<sup>n</sup>  
 12.00 To a Brook. 20 links north, Comes S 20 E.  
 40.00 Set a post for the cor. of 14 sec. from which a  
 Elm. 10 in diam. bears S 64 E. 9 links north; and a  
 Ho. 8 " " " S 88<sup>n</sup> 21 " "  
 79.00 Enter out the West Boundary 12 links South of the first cor.  
 of sec. 12 & 13. T<sup>N</sup> 3 N<sup>R</sup> N<sup>o</sup> 57<sup>n</sup>. and set a post for the  
 cor. of sec. 7 & 18. from which a  
 W Oak. 20 in diam. bears N 35<sup>n</sup> 14 links north; & a  
 Ho. 16 " " " S 62<sup>n</sup> 68 " "  
 This tract is level upland; Timber Buck & Sugar.

East On a Random line between sec. 8 & 17 T<sup>N</sup> 3 N<sup>R</sup> N<sup>o</sup> 47<sup>n</sup>  
 80.00 Enter out the N 15<sup>n</sup> line 20 links S. of the first cor. of sec.  
 8, 9, 16 & 17

T. N<sup>o</sup> 3. N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Land<sup>s</sup>

East 80.00	On a Random line between Sec. 9 & 16. T. N <sup>o</sup> 3. N.R. N <sup>o</sup> 4 W. Intersect the N & S line 60 miles S. of the post cor. of sec. 9, 10, 15 & 16.
East 80.10	On a Random line between sec. 10 & 15 T. N <sup>o</sup> 3. N.R. N <sup>o</sup> 4 W. Intersect the N & S line at the post cor. of sec. 10, 11, 14 & 15. Survey 2 <sup>nd</sup> 1805
East 80.50	On a Random line between sec. 11 & 14 T. N <sup>o</sup> 3. N.R. N <sup>o</sup> 4 W. Intersect the N & S line at the S. of the post cor. of sec. 11. 12, 13 & 14
East 80.00	On a Random line between sec. 12 & 13 T. N <sup>o</sup> 3. N.R. N <sup>o</sup> 4 W. Intersect the East Range line at the post cor. of sec. 12 & 13
West 40.00	On the true line between sec. 12 & 13. T. N <sup>o</sup> 3. N.R. N <sup>o</sup> 4 W. Set a post at the aver. dist. on the true line for the cor. off $\frac{1}{4}$ sec. from which Thicket 10 mi. dist. bears N 30 E, 27 miles dist; 1 a, W Oak. 8 " " " S 40 W. 69 " "
70.00	To a Brook 6 miles wide, course S 30 W.
80.00	To the post cor. of sec. 11, 12, 13 & 14 This mile is broken lands; Thickets of brush & trees Some Oak Timber.
North 40.00	Between sec. 11 & 12. T. N <sup>o</sup> 3. N.R. N <sup>o</sup> 4 W. Set a post for the cor. of $\frac{1}{4}$ sec. from which Thicket 5 mi. dist. bears N 30 E. 300 miles dist; 1 a, W Oak. 10 " " " N 3 E. 270 " "
80.00	Set a post for the cor. of sec. 1, 2, 11 & 12 from which W Oak. 16 mi. dist. bears S 80 E. 27 miles dist. 1 a, Lo. 10 " " " N 50 E. 28 " "
	This mile is broken, lands thin soil; Thickets of brush &

T. N<sup>o</sup> 3 & N. R. N<sup>o</sup> 4 N. 2<sup>nd</sup> Mer. L. d. c.

	N Oak & 13 Oak timber
4.00	
West	On the true line between Sec 11 & 14 T. N <sup>o</sup> 3. N. R. N <sup>o</sup> 4 N.
26.00	To a Brook. 15 links wide, Corner S.
40.00	Set a post for the cor. of 1/4 sec. from which
	N. Oak. 12 in. dia. trees N 30 W. 67 links dist; or,
	N. Oak. 10 " " " N 60 E 76 " "
70.00	To a Brook. 8 links wide, Corner S.
80.00	To the post cor. of Sec. 10 11 14 & 15.
	This mile is broken land; thin soil. Oak timber.
North	Between Sec. 10 & 11 T. N <sup>o</sup> 3. N. R. N <sup>o</sup> 4 N.
40.00	Set a post for the cor. of 1/4 sec. from which
	N Oak. 18 in. dia. trees N 22 E. 60 links dist; or,
	N. Oak. 8 " " " N 67 W. 16 " "
60.00	To a log made 10 in. dia. stands in the line.
80.00	Set a post for the cor. of Sec. 2, 3, 10 & 11 from which
	Heck 12 in. dia. trees. N 62 E. 30 links dist; or,
	Cherry 10 " " " N 60 W. 10 " "
	This mile is hilly broken land; thin soil. covered with Brush & Berries.
West	On the true line between Sec. 10 & 15. T. N <sup>o</sup> 3. N. R. N <sup>o</sup> 4 N.
27.08	To a Brook. 10 links wide, Corner S.
40.00	Set a post for the cor. of 1/4 sec. on the true line from which a
	Hog made 5 in. dia. trees S 60 E. 39 links dist & a
	N. Oak. 15 " " " S 52 W. 60 " "
80.00	To the post cor. of Sec. 9, 10, 15 & 16.
	This mile is broken land; thin soil; timber Oak & Hickory Birch & Hazel wood.
	Jan 23 <sup>rd</sup> 1885
North	Between Sec. 9 & 10. T. N <sup>o</sup> 3. N. R. N <sup>o</sup> 4 N.
17.00	To a N. Oak. 13 in. dia. stands in the line.



T. N<sup>o</sup> 3. N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Sud<sup>a</sup>.

- 40.00 Set a post for the cor. off 14 sec. from which a  
W. Oak. 10 in. diam. bears S 30 W. 81 links dist; 12  
W. Oak. 20 " " " N 68 E. 28 " "
- 42.00 To a gum. 20 in. diam. stands in the line.
- 80.00 Set a post for the cor. off Sec. 3. 4. 9 & 10 from which a  
W. Oak. 11 links diam. bears N 31 E. 10 links dist; 12  
Gum. 16 " " " S 40 W. 30 " "  
This mile is broken land; thin soil; timber Oak & Gum.

- West On the true line between Sec. 9. 16 T. N<sup>o</sup> 3. N.R. N<sup>o</sup> 4 W.
- 40.00 Set a post for the cor. off 14 sec. from which a  
Lassafra 12 in. diam. bears North 47 links dist; to  
W. Oak. 7 " " " South 27 " "
- 80.00 Set the post cor. off sec. 8. 9. 16 & 17  
This mile is broken land; good soil; timber Oak & Gum.

- North Between Sec. 8 & 9 T. N<sup>o</sup> 3. N.R. N<sup>o</sup> 4 W.
- 10.00 To a Oak. 100 links wide, corner S 30 W.
- 40.00 Set a post for the cor. off 14 sec. from which a  
W. Oak. 20 in. diam. bears N 76 E. 10 links dist; 8 a,  
Logwood 7 " " " S 84 W. 27 " "
- 42.00 To a Buck. 13 in. diam. stands in the line.
- 80.00 Set a post for the cor. off sec. 4. 5. 8 & 9 from which a  
W. Oak. 10 in. diam. bears West 30 links dist; 8 a,  
W. Oak. 20 " " " N 50 E 8 " "  
This mile is good land & replanted; timber 7 bush Sugar  
& Oak.

- West Between Sec. 8 & 17 T. N<sup>o</sup> 3. N.R. N<sup>o</sup> 4 W. On a true line
- 7.00 To a Buck. 90 links wide, corner S 33 W.
- 13.00 " Land. 120 90 " " " N 10 W.
- 16.00 " " 120 98 " " " S 3 W.
- 22.00 " " 120 96 " " " E. 11

*T. N° 3 N.R. N° 4 N. 2<sup>nd</sup> Mer. Sud.*

26.00	To the same brook 700 units wide, Corner A 0 N.
40.00	Set a post for the cor. of $\frac{1}{4}$ Sec. from which Gum. 12 in diam. trees S 83 E. 34 units dash; 1 in, Sugar. 16 " " " N 82 W. 39 " "
80.00	To the first cor. of Sec. 7, 8, 17 & 18 Lumber and wood limits Buck, Oak & Sugar
North	Return Sec. 7 & 8. <i>T. N° 3 N.R. N° 4 N.</i>
10.00	To a B. Oak. 18 in. diam. stands in the line.
28.00	To a B. Oak. 20 " " " " " "
40.00	Set a post for the cor. of $\frac{1}{4}$ Sec. from which Larch. 10 in diam. trees. S 2 E. 13 units dash; 1 in, W. Oak. 16 " " " N 42 W. 39, "
80.00	Set a post for the cor. of Sec. 5, 6, 7 & 8. from which W. Oak. 13 in. diam. trees. N 13 W. 10 units dash; 1 in, Do 10 " " " S 41 W. 24 " " Lumber and thin dash; Oak. limits.
West	Return Sec. 6 & 7. <i>T. N° 3 N.R. N° 4 N.</i>
19.00	To a B. Oak. 11 in diam. stands in the line.
40.00	Set a post for the cor. of $\frac{1}{4}$ Sec. from which W. Oak. 16 in diam. trees N 62 W. 43 units dash; 1 in, Gum. 17 " " " S 12 W. 49, "
80.00	Intersect the West B. Meridian at the first cor. of Sec. 1 & 2 <i>T. N° 3 N.R. N° 5 N.</i> from which Buck. 10 in. diam. trees S 66 E. 7 units dash; 1 in, Sugar. 12 " " " N 84 W. 11 " " This mile is good replanting; limits Oak, Sugar & Buck Jan. 14. 1885.
East	On a Random line between Sec. 5 & 8. <i>T. N° 3 N.R. N° 4 N.</i>
80.00	Intersect the N. B. line at the first cor. of Sec. 4, 5, 8 & 9

J. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

East On a Random line between sec. 4 & 9 J. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W.  
80.00 Enter out the N & S line at the post cor. of sec. 3, 4, 9 & 10.

East On a Random line between sec. 3 & 10 J. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W.  
80.00 Enter out the N & S line at the post cor. of sec. 2, 3, 10, & 11.

East On a Random line between sec. 2 & 11 J. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W.  
80.00 Enter out the N & S line 27 links South of the post cor. of  
sec. 1, 2, 11, & 12

East On a Random line between sec. 1 & 12 J. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W.  
80.00 Enter out the N & S line at the post cor. of sec. 1 & 12. On  
the East Range line.

West On the true line between sec. 1 & 12 J. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W.  
40.00 Set a post for the cor. of 1/4 sec. from which  
N Oak. 15 in. diam. bears N 10 E. 30 links dist; 1 in  
do. 10 " " " S 30 W. 28 " "  
60.00 To a Brook. 6 links wide. Secured J  
80.00 To the post cor. of sec. 1, 2, 11, & 12.  
This mile is broken land; thin soil; timber Oak. Hickory  
of Birch, & Beech. Jan. 15. 1805.

North Between sec. 1 & 2 J. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 W.  
30.00 To a N Oak. 16 in. diam. stands in the line.  
40.00 Set a post for the cor. of 1/4 sec. from which  
N Oak. 10 in. diam. bears S 18 E. 80 links dist; 2 in  
do. 9 " " " S 5 W. 70 " "  
80.00 Enter out the N & S line at the post cor. of sec. 35 &  
36 J. N<sup>o</sup> 4 N.R. N<sup>o</sup> 4 W. from which a  
N Oak. 10 in. diam. bears N 18 E. 37 links dist; 1 in  
do. 12 " " " S 11 W. 50 " "  
Line broken, and thin. Timber Oak, &

I. N<sup>o</sup> 3 N.R. N<sup>o</sup> 4 N. 2<sup>nd</sup> Mer. Ind.

West	On the line between Sec 2 & 11 I. N <sup>o</sup> 3 N.R. N <sup>o</sup> 4 N.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which W. Oak 9 in diam. bears S 10 E. 200 links dish; say North bearing true to be noted. This post in a thicket of brush & Brins
47.00	To a Brook. 8 links wide, Course S.
80.00	To the post cor. of Sec. 2, 3, 10 & 11. Thick 70 ch. thickets of brush & Brins; No timber seen Some hedges of rocks; On the last 10 ch. Oak timber
North	Between Sec 2 & 3 I. N <sup>o</sup> 3 N.R. N <sup>o</sup> 4 N.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which W. Oak 15 in diam. bears S 12 N. 37 links dish; say Heads 12 " " N 30 E. 46 " "
80.00	Enter cut the N. Boundary at the post cor. of Sec. 3 & 13. I. N <sup>o</sup> 4 N.R. N <sup>o</sup> 4 N. in a thicket of Brins No timber in sight. This mostly thickets of Brins & Brins; Some Oak. Timber at the $\frac{1}{2}$ mile post.
West	On the line between Sec 3 & 10 I. N <sup>o</sup> 3 N.R. N <sup>o</sup> 4 N.
30.00	To a Brook. 6 links wide, Course S.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which W. Oak 9 in diam. bears S 13 N. 26 links dish; say Heads 12 " " N 18 E. 46 " "
58.50	To a Brook. 5 links wide, Course S.
80.00	To the post cor. of Sec. 3 & 10 This mile is broken land; Much soil; mostly Oak Timber.
North	Between Sec 3 & 4 I. N <sup>o</sup> 3 N.R. N <sup>o</sup> 4 N.
10.00	To W. Oak 15 in diam. stands in the line.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which W. Oak 16 in diam. bears S 8 N. 48 links dish; say



I. N<sup>o</sup> 3 N. R. N<sup>o</sup> 4 N. 2<sup>nd</sup> Mer. Ind.

80.28 N. Oak. 15 in dia. beam. N54 W. 58 links dist;  
 Enter cut the N Boundary at the post cor. of sec. 33 & 34  
 I. N<sup>o</sup> 4. N. R. N<sup>o</sup> 4 N. from which  
 N. Oak. 15 in dia. beam. S60 E. 55 links dist; ray  
 do. 16 " " " N20 W 62 " "  
 This mile is broken land; Thin dirt Oak, timber

West On the true line between sec. 4 & 9 I. N<sup>o</sup> 3 N. R. N<sup>o</sup> 4 N.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
 N. Oak. 10 in dia. beam. S30 W. 30 links dist; ray  
 N. Oak. 12 " " " N74 E 27 " "  
 70.00 Look Brook. 90 lbs side; comes S.  
 80.00 Look post cor. of sec. 4, 5, 8 & 9  
 This mile rich best mple; Look Oak. 11 Beams

North Return sec 4 & 5 I. N<sup>o</sup> 3 N. R. N<sup>o</sup> 4 N.  
 Jan 7 6. 1805.  
 36.00 Look Brook. 12 lbs side; comes S40 E.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
 N. Oak. 10 in dia. beam. S38 E. 28 links dist; ray  
 do. 12 " " " N40 W. 20 " "  
 80.00 Enter cut the N Boundary line at the post cor. of sec.  
 32 & 33. I. N<sup>o</sup> 4 N. R. N<sup>o</sup> 4 N. from which  
 N. Oak. 17 in dia. beam. S47 W. 13 links dist; ray  
 Hickory 18 " " " N4 E. 22 " "  
 This mile is best land; N. Oak. timber. Good for  
 middling quality.

West On the true line between sec. 5 & 8. I. N<sup>o</sup> 3 N. R. N<sup>o</sup> 4 N.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
 Buck. 7 in dia. beam. N80 W. 25 links dist; ray  
 do. 8 " " " N75 E 28 " "  
 48.00 Look Brook. 20 links side; comes S.

T. N. 3 N. R. N. 4 W. 2<sup>nd</sup> Mer. Sec. 5

80.00 To the post on of Sec. 5, 6, 7 &amp; 8.

This mile is level land. mostly Oak timber

North Between Sec. 5 & 6. T. N. 3. N. R. N. 4. W. 2<sup>nd</sup> Mer.40.00 Set a post for the cor. of 1/4 Sec. from which a  
W. Oak 15. in. diam. bears S. 60. E. 32. links. dist. & a  
" S. 10. " " S. 40. W. 37. " "

61.40 To a Gum 20. in. diam. stands in the line

68.37 To W. Oak 10. " " " "

80.00 Intersected the N. Boundary at the post for the cor. of  
Sec. 31 & 32. T. N. 4. N. R. N. 4. W. from which a  
B. Oak 12. in. diam. bears S. 66. W. 11. links. dist. & a  
W. Oak 12. " " " N. 82. E. 21. " "  
This mile is mostly level upland. Timber Oak. &c.

West

Jan. 7<sup>th</sup> 1805.40.00 Set a post for the cor. of 1/4 Sec. on the N. side of Sec. 13  
N. R. N. 4. W. from which a Gum 16. in. diam. bears S. 60.  
E. 10. links. dist. & a Dogwood 6. in. diam. bears N. 40. W. 30. links

East

Measured & set a post for the cor. of 1/4 Sec. on the N. side of  
Sec. 15. T. N. 3. N. R. N. 4. W. from which a B. Oak 16. in.  
diam. bears S. 84. W. 9. links. dist. & a Maple 22. in. diam. bears  
N. 70. E. 10. links. dist.Set a post for the cor. of 1/4 Sec. on the N. side of Sec. 4. in  
T. N. 3. N. R. N. 4. W. from which a  
W. Oak 11. in. diam. bears N. 30. W. 22. links. dist. & a  
B. Oak 8. " " " N. 70. E. 58. " "Set a post for the cor. of 1/4 Sec. on the N. side of Sec. 3. in  
T. N. 3. N. R. N. 4. W. no timber in sight.

T. No 3. N. R. No 4. W. 1<sup>st</sup> Mer. (Ind. a.)

Set a post for the Cor. of 1<sup>st</sup> Sec. on the North side of Sec. 2.  
in T. No 3. N. R. No 4. W. No timber in sight.

Set a post for the Cor. of 1<sup>st</sup> Sec. on the N. side of Sec. 1. in  
T. No 3. N. R. No 4. W. from which a W. Oak 10. in.  
diam. bears S. 33. E. 17. lks. dist. A S. Oak 16. in. diam. bears  
N. 60. W. 27. links. dist.

West On a Random line between Towns 3. & 4. N. R. No 4. W.  
40. 00 Set a post  
80. 00 Set a post 1. Notch.

West 2<sup>nd</sup> Miles On a Random line between Towns 3. & 4. R. No 4. W.  
40. 00 Set a post  
80. 00 Set a post. 2. Notches.

West On a Random line between Towns 3. & 4. N. R. No 4. W.  
3<sup>rd</sup> Mile on the Town line.  
40. 00 Set a post  
80. 00 Set a post 3. Notches.

West On a Random line between Towns 3. & 4. R. No 4. W.  
4<sup>th</sup> Mile on the Town line.  
40. 00 Set a post.  
80. 00 Set a post. 4. Notches.

West On a Random line between Towns 3. & 4. R. No 4. W.  
5<sup>th</sup> Mile on the Town line  
40. 00 Set a post  
80. 00 Set a post. 5. Notches.

West On the Random line between Towns 3. & 4. R. No 4. W.  
6<sup>th</sup> Mile on the Town line.

J. No 3. N. R. No 4. W. 2<sup>nd</sup> Mer (Ind<sup>a</sup>)

110.00 Set a post.  
79.00 Intersected the West Range line at the post for the  
Cor. of Sec. 1 & 6. 31 & 36. Cor. of Towns 3 & 4 in Ranges  
4 & 5. West.

East Blazed the Town line 6 miles to the Cor. of Towns 3 & 4.  
in Ranges 3 & 4. West.

### East Boundary.

North On the East Boundary of Sec. 36. T3 N.R. 4 W  
40.00 Set a 7/8 cu. post from which a  
W. Oak 14 in. diam. bears N 77° 8' links due; & a  
Sugar 10 " " " S 1 E. 32 " "  
58.37 To a Sugar 14 in. diam. stands in the line.  
71.00 Steep hills; meddling soil to bottom  
77.50 To a Oak 80 lbs. more, Course W.  
80.00 Set a post for the cor. of Sec. 25 & 36 from which a  
W. Oak 12 in. diam. bears East 37 links due; & a  
P. Walnut 20 " " " N 79° 7' 20 " "  
Land oak; bottom; Timber Buck, & Sugar

North On the East Boundary of Sec. 25 T3 N.R. 4 W.  
40.00 Set a 7/8 cu. post from which a [Bank of White River]  
Buck 12 in. diam. bears N 80 E. 20 links due; & a  
Oak 14 " " " S 44 W. 25 " "  
Good bottom land; Timber Buck, Sugar, Oak, Oak  
54.00 Out of White River on the N.W. side,  
59.46 To a Buck 10 in. diam. stands in the line.  
65.00 To Good Buck, bottom  
80.00 Set a post for the cor. of Sec. 24 & 25 from which a  
Buck 10 in. diam. bears S 27 W. 7 links due; & a  
Oak 7 " " " N 45 W. 17 " "  
Good soil of hill land; Timber Oak, Sugar & Buck,



T. N<sup>o</sup> 3 North of R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mrs. And

North On the East Boundary of Sec. 24 T. 3. N. R. 4 W.  
 14.04 To a W Oak 14 in. dia. Stands in the line  
 40.00 Set a 7<sup>th</sup> sec. post from which a  
 Buck 10 in. dia. bears N 56 W. 35 links dist; & a  
 W Oak 10 " " " S 154 W. 42 " "  
 75.00 To the W Bank of White River; Broken hills  
 80.00 In White River; no bearings.

North On the East Boundary of Sec. 13 T. 3. N. R. 4 W.  
 6.50 To the Right Bank of W River  
 8.00 " " Mouth of a Brook 20 lks. into, Comes S.E.  
 27.00 Good soil of hill lands;  
 40.00 Set a 7<sup>th</sup> sec. post from which a  
 W Oak 3 in. dia. bears N 47 W. 18 links dist; & a  
 L. 4 " " " S 33 E. 50 " "  
 60.00 To a Brook 7 lks. into, Comes E.  
 62.50 " " L. 6 " " " S.E.  
 80.00 Set a post for the cor. of Sec. 12 & 13 from which a  
 Buck 12 in. dia. bears N 82 W. 12 links dist; & a  
 L. 12 " " " N 68 E. 3 " "  
 Poor barren hills; Timber Oak.

North On the East Boundary of Sec. 12 T. 3. N. R. 4 W.  
 11.00 To a Brook 4 links into, Comes S 20 W  
 17.97 " " Sugar 10 in. dia. Stands in the line  
 30.00 Followed up said Brook; Timber lands;  
 40.00 Set a 7<sup>th</sup> sec. post from which a  
 Sugar 10 in. dia. bears N 40 W. 46 links dist; & a  
 No other tree near  
 80.00 Set a post for the cor. of Sec. 1 & 12 from which a  
 Sugar 18 in. dia. bears S 1 W. 135 lks. dist; & a  
 No other tree near.  
 High barren hills; Timber killed by fire.

T. No 3. N.R. No 4 W. 2<sup>nd</sup> Mer Ind.

Much trees &amp; brush.

North	On the East Boundary of Sec. 1. T. 3. N. R. 4 W
.23	Intersected the East & West line 4 links West of the post; and set off post for the cor. of sec. 6 & 7. T. 3. N. R. 3 W.
3.00	From which a Gum 18 in. diam. bears S 1 W. 138 lks dist.
	To a Brook 7 lks wide, Course W.
10.00	To timbered land
40.00	Set a 7 <sup>th</sup> sec. post; no timber
59.00	Barren hills. Poor soil.
67.00	Down steep hill to bottom
71.00	To a Brook 30 lks wide, Course E.
73.33	To a Oak 16 in. diam. stands in the line.
80.00	Set a post for the cor. of Twp. 3 & 4. N. R. 3 & W.
	From which a Buck 10 in. diam. bears S 11 W. 8 links dist.
	and a Do. 12 " " " N 35 E. 26 " "
	Go to Buck bottom

## West Boundary

North	On the East Boundary of Sec. 36. T. 3. N. R. 5 W
10.20	To a — 12 in. diam. stands in the line
15.30	To Run or Spring 4 links wide, Course W
22.50	" " 4 " " " " W.
27.50	To bed of a Run 2 links wide, Course W.
40.00	Set a 7 <sup>th</sup> sec. post from which a
	Buck 20 in. diam. bears S 54 W. 4 links dist; & a
	Do. 18 " " " N 19 E. 29 " "
42.00	To a Run 4 links wide, Course W
46.78	To an Ash 24 in. diam. stands in line.
61.25	" a Run 4 links wide, Course W.
80.00	Set a post for the cor. of sec. 25 & 36 from which a
	Hick 12 in. diam. bears N 23 E. 9 links dist & a
	Oak 18 " " " S 48 W. 90 " "

T<sup>h</sup> N<sup>o</sup> 3 N<sup>R</sup> N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer Ind<sup>a</sup>

This mile is broken land; Timber Oak, Buck, Hickory

North	On the East Boundary of Sec. 25. T. 3 N. R. 5 W.
6.70	To a W. Oak 30 in. dia. in the line
21.50	To a Run 2 links wide, Corner N.
26.40	" " Buck 15 in. dia. stands in the line
40.00	Set a 1/4 Sec. post from which a B. Oak 20 in. dia. bears N 74 E. 56 links dist; & a W. Oak 8 " " " S 58 W. 11 " "
80.00	Set a post for the cor. of Sec. 24 & 25 from which a B. Oak 18 in. dia. bears N 75 E. 36 links dist; & a W. Oak 15 " " " N 88 W. 63 " "
	Land broken; Timber Oak, Hickory.

North	On the East Boundary of Sec. 24. T. 3 N. R. 5 W.
22.76	To a B. Oak 30 in. dia. in the line.
40.00	Set a 1/4 Sec. post from which a W. Oak 15 in. dia. bears N 63 W. 30 links dist; & a Hickory 5 " " " S 84 E. 52 " "
	Land brushy barrens
44.90	To a Run 3 links wide, Corner N.
48.68	" " Hickory 5 in. dia. stands in line
80.00	Set a post for the cor. of Sec. 13 & 24 from which a W. Oak 18 in. dia. bears S 89 E. 25 links dist; & a Do. 18 " " " S 10 E. 47 " "
	Land barrens; very brushy

North	On the East Boundary of Sec. 13. T. 3 N. R. 5 W.
0.10	To a Run 4 links wide for
37.30	" " " 4 " " Corner E.
40.00	Set a 1/4 Sec. post from which a W. Oak 18 in. dia. bears N 78 E. 13 links dist; & a W. Do. 20 " " " N 75 W. 49 " "

T. N. 3. N. R. No 4 77. 2<sup>nd</sup> Mer. Sud. 2

80.00 Set a post for the cor. of Sec. 12 & 13 from which a  
 W Oak 42 in. diam. bears N 42 W. 40 links dist; & a  
 W Oak 20 " " " S 66 E. 1.30 " "  
 Land broken Timber Oak & Hickory

North From the cor. of Sec. 12 & 13 E. of Boundary of T. 3 N. 4

10.10 To a Run 4 links wide, Course N.

40.00 Set a 7<sup>th</sup> sec. post from which a

W Oak 18 in. diam. bears S 32 E. 35 links dist; & a

Do. 15 " " " N 22 W. 45 " "

57.50 To a Run 8 links wide, Course N. E.

60.10 To the Side of a Run 4 links wide, Course N. E.

72.50 " a Run 8 links wide Course S. E.

80.00 Set a mile post from which a

Sugar 10 in. diam. bears N 85 W. 11 links dist; & a

Do 10 " " " N 71 E. 30 " "

This mile broken; Timber Oak, Hickory, & some  
 Bottom in the Creek; Timber Sugar, Maple Oak &c.

North On the East Boundary of T. 1 S. 3 N. No 5 77

36.97 To a W Oak 24 in. diam. in line.

40.00 Set a 7<sup>th</sup> sec. post from which a

W Oak 15 in. diam. bears N 61 E. 31 links dist; & a

Do. 18 " " " S 56 W. 56 " "

69.87 To a W Oak 24 in. diam. in the line.

77.90 To a Trace X

80.00 Set a post for of Corns. 3 & 4 N. R. 3 & 4 W. from which

a W Oak 8 in. diam. bears N 4 E. 87 links dist; & a

Do. 9 " " " S 19 E. 43 " "

Land broken on 1<sup>st</sup> 1/2 mile; 2<sup>nd</sup> 1/2 Oak ridges  
 Timber Oak & Hickory



T<sup>No</sup> 3 N.R. N<sup>o</sup> 4<sup>th</sup> 2<sup>nd</sup> Mer Ind<sup>a</sup>

Meanders of E. Branch of White River beg<sup>n</sup> in E. side of Sec. 25. T3 N4 W  
thence down stream.

S49 W	1.00		N47 W	11.00
S38 W	5.00		N44 W	4.00
S30 W	15.50		N32 W	7.00
S51 W	25.00		N30 W	13.00 To a West line
S58 W	8.00		N18 W	14.00 To Run 20 lks. into Co. 5 <sup>th</sup> W.
S74 W	5.00		N24 W	8.00
N68 W	4.50		N39 W	6.50
N28 W	5.50 To creek 100 lks. into Co. 5 <sup>th</sup> W.		N54 W	15.00
N24 W	7.00		N57 W	23.50 To North line
N13 W	15.00		N57 W	10.00 To a Run corner N.E.
N2 W	23.50		N58 W	2.50
N10 E	12.50 To West line		N71 W	12.50
N5 E	23.00		N3 W	15.00
N2 W	8.00		S78 W	7.50
N22 W	5.00		S64 W	6.50
N50 W	6.00		S59 W	36.00
N83 W	14.00		S48 W	12.00
S77 W	12.00		S29 W	9.50 To North line
S71 W	8.50		S36 W	19.50 " West "
S59 W	3.50		S38 W	3.80
S42 W	15.00		S46 W	28.00 To a Run 15 lks. Co. N.E.
S19 W	12.00		S48 W	10.50
S14 W	9.00		S32 W	9.00
S4 W	12.00 To West line		S20 W	16.00
S7 W	24.00		S16 W	37.00
S10 W	9.00		S16 W	10.00
S28 W	6.00		S30 W	18.00
S81 W	5.00		S42 W	27.05
N60 W	8.50 To North line		S27 W	23.50 To the South Boundary of Sec. 31. T3 N4 W.

Surveyed by  
Stephen Brint L.S.

I certify that the foregoing Transcript of the field  
notes of Township N<sup>o</sup> 3 North of Range N<sup>o</sup> 4 West  
of 2<sup>nd</sup> Principal Meridian, in Indiana has been  
compared with the Original notes in this Office &  
found to be correct.

Surveyor General's Office,

Cincinnati, April 9, 1841

E. S. Dineen  
Sur. Genl.